

## APPENDIX

## JOBS\_LIVE

JOB\_NO: NUMBER

JOB\_ID: VARCHAR2(15)  
 JOB\_TYPE: NUMBER  
 CUSTOMER\_ID: VARCHAR2(10)  
 CUSTOMER\_NAME: VARCHAR2(30)  
 CUSTOMER\_TYPE: VARCHAR2(1)  
 JOB\_REF1: VARCHAR2(20)  
 JOB\_REF2: VARCHAR2(20)  
 STATUS: NUMBER  
 TOT\_WEIGHT: NUMBER  
 TOT\_PIECES: NUMBER  
 SERVICE: VARCHAR2(4)  
 SUB\_SERVICE: VARCHAR2(4)  
 SERVICE\_LEVEL: NUMBER  
 SERVICE\_TYPE: VARCHAR2(1)  
 ARTICLE\_ID: VARCHAR2(1)  
 DE\_STATUS: VARCHAR2(2)  
 DISP\_GROUP: NUMBER  
 AUTO\_DISP: VARCHAR2(1)  
 CREATED\_BY: VARCHAR2(30)  
 UPDATED\_BY: VARCHAR2(30)  
 DISP\_DT: DATE  
 CREATE\_DT: DATE  
 UPDATE\_DT: DATE  
 ORDER\_NO: NUMBER  
 WAYBILL\_ID: VARCHAR2(20)  
 JOB\_DESC: VARCHAR2(60)  
 JOB\_REV\_AMT: NUMBER(10,2)  
 JOB\_COST\_AMT: NUMBER(10,2)  
 ALERT\_NO: NUMBER  
 INVOICE\_NO: NUMBER  
 CALLER: VARCHAR2(20)  
 CALL\_PHONE: VARCHAR2(15)  
 JOB\_PMI: NUMBER(7,2)  
 JOB\_DMILES: NUMBER(7,2)  
 TOTAL\_MILES: NUMBER(9,2)  
 TERMS\_FLAG: VARCHAR2(1)  
 INT\_CODE: VARCHAR2(1)  
 INST\_PRINT: VARCHAR2(1)  
 DAILY\_FLAG: VARCHAR2(1)  
 POD\_FAX: VARCHAR2(1)  
 REVENUE\_SITE: VARCHAR2(3)  
 SITE: VARCHAR2(3)  
 ATTRIBUTE\_NO: NUMBER  
 PU\_READY\_DT: DATE  
 DUE\_DT: DATE  
 PU\_ACTUAL\_DT: DATE  
 DEL\_ACTUAL\_DT: DATE  
 DIM\_WEIGHT: NUMBER  
 CURRENT\_DRIVER: NUMBER  
 DISP\_COLOR: VARCHAR2(30)  
 CURRENT\_DRIVER\_SITE: VARCHAR2(3)  
 JOB\_CLASS: VARCHAR2(12)

## JOBS\_STOPS\_LIVE

JOB\_NO: NUMBER

STOP\_NO: NUMBER

STOP\_ORDER: NUMBER  
 STOP\_STATUS: NUMBER  
 STOP\_ADDRESS\_NO: NUMBER  
 STOP\_DRIVER: NUMBER  
 STOP\_DELAY: NUMBER  
 STOP\_ARRIVE\_DT: DATE  
 STOP\_ARRIVE\_GMT: DATE  
 STOP\_EARLIEST\_DT: DATE  
 STOP\_EARLIEST\_GMT: DATE  
 STOP\_LATEST\_DT: DATE  
 STOP\_LATEST\_GMT: DATE  
 STOP\_ACTUAL\_DT: DATE  
 STOP\_ACTUAL\_GMT: DATE  
 STOP\_WAIT\_DT: DATE  
 STOP\_TYPE: VARCHAR2(1)  
 OK\_LEAVE: VARCHAR2(1)  
 STOP\_AIRPORT: VARCHAR2(10)  
 STOP\_PRODUCT: VARCHAR2(20)  
 ACTUAL\_DEPOT: VARCHAR2(20)  
 STOP\_PHONE: VARCHAR2(15)  
 STOP\_REF1: VARCHAR2(30)  
 STOP\_REF2: VARCHAR2(30)  
 STOP\_INST: VARCHAR2(90)  
 STOP\_ATTN: VARCHAR2(30)  
 STOP\_LATE\_FACTOR: NUMBER(6,2)  
 STOP\_NOTIFY: VARCHAR2(1)  
 STOP\_WEAVE: VARCHAR2(1)  
 STOP\_SITE: VARCHAR2(3)  
 STOP\_POD: VARCHAR2(30)  
 STOP\_BUS\_NAME: VARCHAR2(30)  
 STOP\_ADDRESS1: VARCHAR2(30)  
 STOP\_ADDRESS2: VARCHAR2(30)  
 STOP\_CITY: VARCHAR2(20)  
 STOP\_STATE: VARCHAR2(2)  
 STOP\_ZIP: VARCHAR2(15)  
 STOP\_POST\_ID: VARCHAR2(20)  
 STOP\_COUNTY: VARCHAR2(20)  
 STOP\_COUNTRY: VARCHAR2(20)  
 STOP\_ZONE: VARCHAR2(4)  
 STOP\_WEIGHT: NUMBER  
 STOP\_PIECES: NUMBER  
 STOP\_DIM\_WT: NUMBER

**JOBS\_DAILY\_DTL**

JOB_NO: NUMBER
DAILY_TYPE: VARCHAR2(20)
BEGIN_DATE: DATE
END_DATE: DATE
MON_SCHEDULE: VARCHAR2(3)
TUE_SCHEDULE: VARCHAR2(3)
WED_SCHEDULE: VARCHAR2(3)
THU_SCHEDULE: VARCHAR2(3)
FRI_SCHEDULE: VARCHAR2(3)
SAT_SCHEDULE: VARCHAR2(3)
SUN_SCHEDULE: VARCHAR2(3)
PERIOD_DAYS: NUMBER
WEEKEND_PICKUP: VARCHAR2(3)
WEEKEND_EXCEPTION: VARCHAR2(20)
HOLIDAY_PICKUP: VARCHAR2(3)
HOLIDAY_EXCEPTION: VARCHAR2(20)

**JOBS\_STATS**

JOB_NO: NUMBER
USER_ID: NUMBER
SITE: VARCHAR2(3)
NO_OF_CANDIDATES: NUMBER
DRIVER1: NUMBER
SCORE1: NUMBER
DRIVER2: NUMBER
SCORE2: NUMBER
DRIVER3: NUMBER
SCORE3: NUMBER
DRIVER4: NUMBER
SCORE4: NUMBER
DRIVER5: NUMBER
SCORE5: NUMBER
DRIVER6: NUMBER
SCORE6: NUMBER

**JOBS\_MILES\_TMP**

JOB_NO: NUMBER
STOP_NO: NUMBER
STOP_ORDER: NUMBER
STOP_MILES: NUMBER
ADDRESS1: VARCHAR2(30)
ADDRESS2: VARCHAR2(30)
CITY: VARCHAR2(30)
STATE: VARCHAR2(20)
ZIP: VARCHAR2(15)
COUNTRY: VARCHAR2(15)

**JOBS\_DIMS\_DTL**

SEQ_NO: NUMBER
JOB_NO: NUMBER
PIECES_ID: VARCHAR2(30)
PIECES: NUMBER
WEIGHT: NUMBER
LENGTH: NUMBER
WIDTH: NUMBER
HEIGHT: NUMBER
DIM_DESC: VARCHAR2(60)

**STOP\_DEPOTS\_DTL**

DEPOT_ID: VARCHAR2(50)
TYPE: VARCHAR2(4)
JOB_NO: NUMBER
STOP_NO: NUMBER

**JOBS\_MEMO\_DTL**

JOB_NO: NUMBER
MEMO_DT: DATE
MEMO_USER: VARCHAR2(10)
MEMO_TEXT: VARCHAR2(2000)

**JOBS\_SITES\_LIVE**

SITE: VARCHAR2(3)
JOB_NO: NUMBER
NO_OF_STOPS: NUMBER
DEC_STOPS: NUMBER
SITE_ORDER: NUMBER
JOB_ID: VARCHAR2(15)

## JOBS\_ATTR\_DTL

JOB\_NO: NUMBER  
JOB\_ID: NUMBER  
ATTR\_NAME: CHAR(25)  
ATTR\_MODE: CHAR(20)

## JOBS\_FEES\_DTL

JOB\_NO: NUMBER  
FEE\_ITEM: VARCHAR2(20)  
FEE\_AMT: NUMBER(9,2)  
ADD\_SUB\_TOTAL: VARCHAR2(1)  
CATEGORY: VARCHAR2(1)  
GL\_ACCOUNT: VARCHAR2(20)  
DEPARTMENT: VARCHAR2(10)  
STATUS: VARCHAR2(1)

## ATTRIBUTE\_MASTER

ATTR\_NAME: VARCHAR2(25)  
ATTR\_TYPE: VARCHAR2(10)

## ATTRIBUTES

ATTRIBUTE\_NO: NUMBER  
ATTR\_TYPE: VARCHAR2(10)  
ATTR\_NAME: VARCHAR2(25)  
ATTR\_MODE: VARCHAR2(20)

## JOBS\_VERIFY\_DTL

SESSION\_NO: NUMBER  
JOB\_NO: NUMBER  
ERR\_TEXT: VARCHAR2(90)

## JOBS

JOB\_NO: NUMBER  
 JOB\_ID: VARCHAR2(15)  
 JOB\_TYPE: NUMBER  
 CUSTOMER\_ID: VARCHAR2(10)  
 CUSTOMER\_NAME: VARCHAR2(30)  
 CUSTOMER\_TYPE: VARCHAR2(1)  
 JOB\_REF1: VARCHAR2(20)  
 JOB\_REF2: VARCHAR2(20)  
 STATUS: NUMBER  
 TOT\_WEIGHT: NUMBER  
 TOT\_PIECES: NUMBER  
 SERVICE: VARCHAR2(4)  
 SUB\_SERVICE: VARCHAR2(4)  
 SERVICE\_LEVEL: NUMBER  
 SERVICE\_TYPE: VARCHAR2(1)  
 ARTICLE\_ID: VARCHAR2(1)  
 DE\_STATUS: VARCHAR2(2)  
 DISP\_GROUP: NUMBER  
 AUTO\_DISP: VARCHAR2(1)  
 CREATED\_BY: VARCHAR2(30)  
 UPDATED\_BY: VARCHAR2(30)  
 DISP\_DT: DATE  
 CREATE\_DT: DATE  
 UPDATE\_DT: DATE  
 ORDER\_NO: NUMBER  
 WAYBILL\_ID: VARCHAR2(20)  
 JOB\_DESC: VARCHAR2(60)  
 JOB\_REV\_AMT: NUMBER(10,2)  
 JOB\_COST\_AMT: NUMBER(10,2)  
 ALERT\_NO: NUMBER  
 INVOICE\_NO: NUMBER  
 CALLER: VARCHAR2(20)  
 CALL\_PHONE: VARCHAR2(15)  
 JOB\_PMI:LES: NUMBER(7,2)  
 JOB\_DMILES: NUMBER(7,2)  
 TOTAL\_MILES: NUMBER(9,2)  
 TERMS\_FLAG: VARCHAR2(1)  
 INT\_CODE: VARCHAR2(1)  
 INST\_PRINT: VARCHAR2(1)  
 DAILY\_FLAG: VARCHAR2(1)  
 POD\_FAX: VARCHAR2(1)  
 REVENUE\_SITE: VARCHAR2(3)  
 SITE: VARCHAR2(3)  
 ATTRIBUTE\_NO: NUMBER  
 PU\_READY\_DT: DATE  
 DUE\_DT: DATE  
 PU\_ACTUAL\_DT: DATE  
 DEL\_ACTUAL\_DT: DATE  
 DIM\_WEIGHT: NUMBER  
 CURRENT\_DRIVER: NUMBER  
 DISP\_COLOR: VARCHAR2(30)  
 CURRENT\_DRIVER\_SITE: VARCHAR2(3)  
 JOB\_CLASS: VARCHAR2(12)

## JOBS\_STOPS\_DTL

JOB\_NO: NUMBER  
 STOP\_NO: NUMBER  
 STOP\_ORDER: NUMBER  
 STOP\_STATUS: NUMBER  
 STOP\_ADDRESS\_NO: NUMBER  
 STOP\_DRIVER: NUMBER  
 STOP\_DELAY: NUMBER  
 STOP\_ARRIVE\_DT: DATE  
 STOP\_ARRIVE\_GMT: DATE  
 STOP\_EARLIEST\_DT: DATE  
 STOP\_EARLIEST\_GMT: DATE  
 STOP\_LATEST\_DT: DATE  
 STOP\_LATEST\_GMT: DATE  
 STOP\_ACTUAL\_DT: DATE  
 STOP\_ACTUAL\_GMT: DATE  
 STOP\_WAIT\_DT: DATE  
 STOP\_TYPE: VARCHAR2(1)  
 OK\_LEAVE: VARCHAR2(1)  
 STOP\_AIRPORT: VARCHAR2(10)  
 STOP\_PRODUCT: VARCHAR2(20)  
 ACTUAL\_DEPOT: VARCHAR2(20)  
 STOP\_PHONE: VARCHAR2(15)  
 STOP\_REF1: VARCHAR2(30)  
 STOP\_REF2: VARCHAR2(30)  
 STOP\_INST: VARCHAR2(90)  
 STOP\_ATTN: VARCHAR2(30)  
 STOP\_LATE\_FACTOR: NUMBER(6,2)  
 STOP\_NOTIFY: VARCHAR2(1)  
 STOP\_WEAVE: VARCHAR2(1)  
 STOP\_SITE: VARCHAR2(3)  
 STOP\_POD: VARCHAR2(30)  
 STOP\_BUS\_NAME: VARCHAR2(30)  
 STOP\_ADDRESS1: VARCHAR2(30)  
 STOP\_ADDRESS2: VARCHAR2(30)  
 STOP\_CITY: VARCHAR2(20)  
 STOP\_STATE: VARCHAR2(2)  
 STOP\_ZIP: VARCHAR2(15)  
 STOP\_POST\_ID: VARCHAR2(20)  
 STOP\_COUNTY: VARCHAR2(20)  
 STOP\_COUNTRY: VARCHAR2(20)  
 STOP\_ZONE: VARCHAR2(4)  
 STOP\_WEIGHT: NUMBER  
 STOP\_PIECES: NUMBER  
 STOP\_DIM\_WT: NUMBER

## JOBS\_SITES\_DTL

JOB\_NO: NUMBER  
 SITE: VARCHAR2(3)  
 NO\_OF\_STOPS: NUMBER  
 DEC\_STOPS: NUMBER  
 SITE\_ORDER: NUMBER  
 JOB\_ID: VARCHAR2(15)

# DRIVERS\_SHIFTS\_DTL

SHIFT\_NO: NUMBER

DRIVER\_NO: NUMBER

LOGON\_STREET: VARCHAR2(30)

LOGON\_CITY: VARCHAR2(20)

LOGON\_STATE: VARCHAR2(2)

LOGON\_ZIP: VARCHAR2(10)

LOGON\_COUNTRY: VARCHAR2(3)

LOGON\_LAT: NUMBER(14)

LOGON\_LONG: NUMBER(16)

LOGOFF\_STREET: VARCHAR2(30)

LOGOFF\_CITY: VARCHAR2(20)

LOGOFF\_STATE: VARCHAR2(2)

LOGOFF\_ZIP: VARCHAR2(10)

LOGOFF\_COUNTRY: VARCHAR2(3)

LOGOFF\_LAT: NUMBER(14)

LOGOFF\_LONG: NUMBER(16)

AWAY\_FROM\_HOME: VARCHAR2(1)

PREFZONE: NUMBER

INZONE\_ADVANTAGE: NUMBER

OUTZONE\_PENALTY: NUMBER

SITE: VARCHAR2(3)

SHIFT\_START\_TIME: DATE

SHIFT\_END\_TIME: DATE

VEHICLE\_GROUP\_NO: NUMBER

NOTE: VARCHAR2(30)

EARLY\_START\_OFFSET: NUMBER

LATE\_START\_OFFSET: NUMBER

SHIFT\_DATE: DATE

SHIFT\_END\_CUM\_HOURS: NUMBER

SHIFT\_TYPE: VARCHAR2(1)

REQ\_SHIFT\_START: DATE

REQ\_START\_LAT: NUMBER(14)

REQ\_START\_LONG: NUMBER(16)

REQ\_SHIFT\_END: DATE

REQ\_END\_LAT: NUMBER(14)

REQ\_END\_LONG: NUMBER(16)

ORIGINATOR: VARCHAR2(20)

EDIT\_DT: DATE

ATTRIBUTE\_NO: NUMBER

# DRIVERS\_SHIFTS\_TPL

TEMPLATE\_NO: NUMBER

DRIVER\_NO: NUMBER

LOGON\_STREET: VARCHAR2(30)

LOGON\_CITY: VARCHAR2(20)

LOGON\_STATE: VARCHAR2(2)

LOGON\_ZIP: VARCHAR2(10)

LOGON\_COUNTRY: VARCHAR2(3)

LOGON\_LAT: NUMBER(14)

LOGON\_LONG: NUMBER(16)

LOGOFF\_STREET: VARCHAR2(30)

LOGOFF\_CITY: VARCHAR2(20)

LOGOFF\_STATE: VARCHAR2(2)

LOGOFF\_ZIP: VARCHAR2(10)

LOGOFF\_COUNTRY: VARCHAR2(3)

LOGOFF\_LAT: NUMBER(14)

LOGOFF\_LONG: NUMBER(16)

AWAY\_FROM\_HOME: VARCHAR2(1)

PREFZONE: NUMBER

INZONE\_ADVANTAGE: NUMBER

OUTZONE\_PENALTY: NUMBER

SITE: VARCHAR2(3)

SHIFT\_START\_TIME: DATE

SHIFT\_END\_TIME: DATE

DAY\_OF\_WEEK: NUMBER

VEHICLE\_GROUP\_NO: NUMBER

NOTE: VARCHAR2(30)

EARLY\_START\_OFFSET: NUMBER

LATE\_START\_OFFSET: NUMBER

ATTRIBUTE\_NO: NUMBER

# DRIVERS\_SHIFTS\_BRKS\_DTL

SHIFT\_NO: NUMBER

EARLIEST\_BREAK\_START: NUMBER

LATEST\_BREAK\_START: NUMBER

DURATION: NUMBER

REQ\_BREAK\_START: NUMBER

NOTE: VARCHAR2(30)

# DRIVERS\_SHIFTS\_BRKS\_TPL

TEMPLATE\_NO: NUMBER

EARLIEST\_BREAK\_START: NUMBER

LATEST\_BREAK\_START: NUMBER

DURATION: NUMBER

NOTE: VARCHAR2(30)

## DRIVERS

DRIVER\_NO: NUMBER  
 SITE: VARCHAR2(3)  
 DRIVER\_ID: VARCHAR2(15)  
 DRIVER\_NAME: VARCHAR2(20)  
 PAGER\_CODE: VARCHAR2(15)  
 PAGER\_TYPE: VARCHAR2(1)  
 COMMS\_TYPE: VARCHAR2(1)  
 COMMS\_NO: NUMBER  
 VENDOR\_ID: VARCHAR2(20)  
 DISP\_GROUP: NUMBER  
 ADDRESS: VARCHAR2(30)  
 CITY: VARCHAR2(14)  
 STATE: VARCHAR2(2)  
 ZIP: VARCHAR2(10)  
 PHONE: VARCHAR2(18)  
 SSN: VARCHAR2(11)  
 COMM\_TIER: VARCHAR2(10)  
 NOTES: VARCHAR2(60)  
 INS\_COMPANY: VARCHAR2(30)  
 INS\_POLICY: VARCHAR2(30)  
 INS\_LIMITS: VARCHAR2(30)  
 DLN: VARCHAR2(20)  
 DLN\_STATE: VARCHAR2(2)  
 DL\_EXP\_DT: DATE  
 INS\_EXP\_DT: DATE  
 DATE\_EMPLOY\_DT: DATE  
 DATE\_TERM\_DT: DATE  
 EMER\_NAME: VARCHAR2(30)  
 EMER\_PHONE: VARCHAR2(18)  
 EMER\_RELATION: VARCHAR2(30)  
 EMPLOY\_ID: VARCHAR2(20)  
 PAYMENT\_CYCLE: VARCHAR2(1)  
 PAYROLL\_AC: VARCHAR2(20)  
 ATTRIBUTE\_NO: NUMBER  
 MOBILE\_STATUS: VARCHAR2(1)  
 DRIVER\_STATUS: VARCHAR2(1)

## DRIVER\_COMM\_PARAMS\_DTL

COMM\_TIER: VARCHAR2(10)  
 SERVICE: VARCHAR2(4)  
 COMM\_METHOD: VARCHAR2(15)  
 REF\_ZONE\_TABLE: VARCHAR2(20)  
 MIN\_COMM: NUMBER(10,2)  
 MAX\_COMM: NUMBER(10,2)  
 COMM\_PERCT: NUMBER(10,2)  
 COMM\_PER\_MILE: NUMBER(10,2)

## DRIVER\_COMM\_PARAMS

COMM\_TIER: VARCHAR2(10)  
 COMM\_TIER\_DESC: VARCHAR2(30)

## DRIVER\_LOGS

STATUS: VARCHAR2(1)  
 TIME\_STAMP\_DT: DATE  
 DRIVER\_NO: NUMBER  
 SITE: VARCHAR2(3)  
 MILEAGE: NUMBER  
 LOCATION: VARCHAR2(20)  
 LATITUDE: NUMBER  
 LONGITUDE: NUMBER  
 VEHICLE\_GROUP\_NO: NUMBER  
 DISP\_GROUP\_NO: NUMBER

1  
2  
3  
4  
5  
6  
7  
8  
9  
10  
11  
12  
13  
14  
15  
16  
17  
18  
19  
20  
21  
22  
23  
24  
25  
26  
27  
28  
29  
30  
31  
32  
33  
34  
35  
36  
37  
38  
39  
40  
41  
42  
43  
44  
45  
46  
47  
48  
49  
50  
51  
52  
53  
54  
55  
56  
57  
58  
59  
60  
61  
62  
63  
64  
65  
66  
67  
68  
69  
70  
71  
72  
73  
74  
75  
76  
77  
78  
79  
80  
81  
82  
83  
84  
85  
86  
87  
88  
89  
90  
91  
92  
93  
94  
95  
96  
97  
98  
99  
100

### DRIVER\_COMMISSIONS

DRIVER\_NO: NUMBER  
 SITE: VARCHAR2(3)  
 JOB\_NO: NUMBER  
  
 JOB\_DATE: DATE  
 CUSTOMER\_ID: VARCHAR2(20)  
 PKUP\_BUS\_NAME: VARCHAR2(30)  
 DEL\_BUS\_NAME: VARCHAR2(30)  
 BASE\_CHARGE: NUMBER(10,2)  
 OTHER\_CHARGE: NUMBER(10,2)  
 BASE\_COMM: NUMBER(10,2)  
 OTHER\_COMM: NUMBER(10,2)  
 SPLIT\_PERCT: NUMBER(10,2)  
 SPLIT\_JOB: VARCHAR2(1)  
 STATUS: NUMBER  
 EXTRA\_AMT: NUMBER(10,2)  
 DED\_COMM: NUMBER(10,2)  
 DED\_CHARGE: NUMBER(10,2)  
 PROCESS\_SEQNO: NUMBER  
 COMMISSION\_NO: NUMBER

### DRIVER\_DEDUCTIONS

DRIVER\_NO: NUMBER  
 SITE: VARCHAR2(3)  
 DED\_TYPE: VARCHAR2(20)  
 FROM\_DATE: DATE  
 TODATE: DATE  
  
 DED\_AMT: NUMBER(10,2)  
 YTD\_AMT: NUMBER(10,2)

### DRIVER\_DEDUCTION\_PARAMS

DED\_TYPE: VARCHAR2(8)  
  
 DRIVER\_NO: NUMBER  
 SITE: VARCHAR2(3)  
 FROM\_DATE: DATE  
 TODATE: DATE  
 DED\_AMT: NUMBER(10,2)  
 DED\_PERCT: NUMBER(10,2)  
 BALANCE\_AMT: NUMBER(10,2)  
 YTD\_AMT: NUMBER(10,2)  
 GL\_ACCOUNT: VARCHAR2(20)

### DRIVERS\_MESSAGE\_DTL

TEXT\_NO: NUMBER  
  
 DRIVER\_NO: NUMBER  
 ORIGIN: VARCHAR2(7)  
 SITE: VARCHAR2(3)  
 USER\_REF: NUMBER  
 DRIVER\_TEXT: VARCHAR2(160)  
 TIME\_STAMP\_DT: DATE  
 TX\_STATUS: NUMBER

### DRIVERS\_TRANSMIT\_DTL

SEQ\_NO: NUMBER  
  
 DRIVER\_NO: NUMBER  
 SITE: VARCHAR2(3)  
 JOB\_SITE: VARCHAR2(3)  
 DOC\_NO: NUMBER  
 DOC\_TYPE: NUMBER  
 TX\_STATUS: NUMBER  
 TIME\_STAMP\_DT: DATE

### DRIVERS\_HISTORY\_DTL

SEQ\_NO: NUMBER  
  
 DRIVER\_NO: NUMBER  
 SITE: VARCHAR2(3)  
 JOB\_SITE: VARCHAR2(3)  
 DOC\_NO: NUMBER  
 DOC\_TYPE: NUMBER  
 TX\_STATUS: NUMBER  
 TIME\_STAMP\_DT: DATE



## DEPOT

DEPOT\_ID: VARCHAR2(50)  
TYPE: VARCHAR2(4)

SITE\_DELAY: NUMBER(10)  
JOB\_DELAY: NUMBER(10)  
SPEED: VARCHAR2(10)  
LABEL: VARCHAR2(50)  
CONTACT\_PHONE: VARCHAR2(70)  
CONTACT\_NAME: VARCHAR2(70)  
SPECIAL\_COND: VARCHAR2(1000)  
SPECIAL\_TEXT: VARCHAR2(1000)  
ATTRIBUTE\_NO: NUMBER  
ADDRESS\_NO: NUMBER

## COMMON\_ADDRESS

ADDRESS\_ID: NUMBER

ADDRESS\_TYPE: VARCHAR2(12)  
BUS\_NAME: VARCHAR2(30)  
ADDRESS1: VARCHAR2(30)  
ADDRESS2: VARCHAR2(30)  
STATE: VARCHAR2(2)  
CITY: VARCHAR2(20)  
ZONE: VARCHAR2(4)  
ZIP: VARCHAR2(10)  
COUNTRY: VARCHAR2(20)  
PHONE: VARCHAR2(20)  
LATITUDE: NUMBER(14)  
LONGITUDE: NUMBER(16)  
TIME\_STAMP: DATE  
TIMES\_USED: NUMBER  
CLIENT\_LOC\_ID: NUMBER  
POST\_CODE: VARCHAR2(20)  
COUNTY: VARCHAR2(20)  
AIRPORT: VARCHAR2(10)  
GEOSTATUS: VARCHAR2(20)

## PRODUCT\_DEPOT

PRODUCT\_ID: VARCHAR2(50)  
DEPOT\_ID: VARCHAR2(50)  
FUNCTION: VARCHAR2(10)  
ORIGINATOR: VARCHAR2(30)  
ENTRY\_DT: DATE  
TYPE: VARCHAR2(4)

## PRODUCT

PRODUCT\_ID: VARCHAR2(50)  
TYPE: VARCHAR2(50)  
PRODUCT\_DESC: VARCHAR2(250)  
PRICING\_INFO: VARCHAR2(1000)  
SERVICE\_LEVEL: VARCHAR2(50)  
LIFE\_SPAN: VARCHAR2(50)  
NOMINAL\_WT: NUMBER  
NOMINAL\_VOL: NUMBER  
NOMINAL\_SIZE: NUMBER  
ATTRIBUTE\_NO: NUMBER

## GEOCODES

GEOCODE\_NO: NUMBER  
GEOCODE\_SEQ: NUMBER

BLOCK\_NO: NUMBER  
STREET: VARCHAR2(30)  
X\_STREET: VARCHAR2(30)  
CITY: VARCHAR2(20)  
STATE: VARCHAR2(2)  
ZIP: VARCHAR2(10)  
LATITUDE: NUMBER(14)  
LONGITUDE: NUMBER(16)  
GEOSTATUS: VARCHAR2(20)  
TIME\_STAMP\_DT: DATE  
ADDRESS\_ID: NUMBER

CUST\_ADDRESSES

CUSTOMER\_ID: VARCHAR2(10)  
 ADDRESS\_ID: NUMBER  
 TIMES\_USED: NUMBER

CUSTOMERS

CUSTOMER\_ID: VARCHAR2(10)  
 BRIDGE\_ID: VARCHAR2(10)  
 BUS\_NAME: VARCHAR2(30)  
 ADDRESS1: VARCHAR2(30)  
 ADDRESS2: VARCHAR2(30)  
 CITY: VARCHAR2(20)  
 STATE: VARCHAR2(2)  
 ZIP: VARCHAR2(20)  
 COUNTRY: VARCHAR2(20)  
 POST\_ID: VARCHAR2(20)  
 COUNTY: VARCHAR2(20)  
 PHONE: VARCHAR2(20)  
 FAX\_PHONE: VARCHAR2(20)  
 CONTACT: VARCHAR2(20)  
 ATTN: VARCHAR2(30)  
 CC\_REP: VARCHAR2(8)  
 TERMS\_CODE: VARCHAR2(8)  
 ROUTE\_ID: VARCHAR2(8)  
 SLS\_PSN\_CODE: VARCHAR2(8)  
 REQD: VARCHAR2(8)  
 USER\_GROUP: VARCHAR2(8)  
 SERVICE\_LEVEL: NUMBER  
 STMT\_CYCLE: NUMBER  
 CREDIT\_LIMIT: NUMBER(12,2)  
 ACCT\_BAL: NUMBER(12,2)  
 ON\_ACCT\_AMT: NUMBER(12,2)  
 MASTER\_CUSTOMER\_ID: VARCHAR2(10)  
 CREDIT\_STATUS: VARCHAR2(1)  
 RATE\_MASTER: VARCHAR2(10)  
 CUST\_SITE: VARCHAR2(3)  
 YTD\_SALES: NUMBER(12,2)  
 OPENED\_DATE: DATE  
 BILLTO\_ADDRESS\_ID: NUMBER  
 EDIT\_DATE: DATE  
 DISCOUNT\_TIER: VARCHAR2(4)

CA\_TIME\_WINDOW

ADDRESS\_ID: NUMBER  
 DAY\_OF\_WEEK: NUMBER  
 START\_DATE\_TIME: DATE  
 TW\_LENGTH: NUMBER  
 WINDOW\_COST: NUMBER  
 LATE\_COST: NUMBER

## COSTS

DOC\_NO: NUMBER  
 DOC\_DATE: DATE  
 SITE: VARCHAR2(3)  
 STATUS: NUMBER  
 INV\_NO: VARCHAR2(30)  
 INV\_DATE: DATE  
 COSTS\_NO: NUMBER  
 INV\_DESC: VARCHAR2(30)  
 VENDOR\_ID: VARCHAR2(10)  
 TERMS\_ID: VARCHAR2(6)  
 TO\_PAY\_DT: DATE  
 DUE\_DT: DATE  
 DISC\_PERCT: NUMBER  
 DISC\_ACCT\_NO: VARCHAR2(40)  
 DISC\_AMOUNT: NUMBER  
 AP\_ACCT\_NO: VARCHAR2(40)  
 AP\_AMOUNT: NUMBER  
 CASH\_ACCT\_NO: VARCHAR2(40)

## VEHICLE\_CLASSES

VEHICLE\_CLASS: VARCHAR2(8)  
 RUN\_COST: NUMBER  
 RELATIVE\_SPEED: NUMBER  
 MAXIMUM\_WT: NUMBER  
 UNIT\_WT: NUMBER  
 MAXIMUM\_SIZE: NUMBER  
 UNIT\_SIZE: NUMBER  
 LOAD\_FACTOR: NUMBER  
 DESCRIPTION: VARCHAR2(30)  
 OVERTIME: NUMBER  
 MAX\_PALLETS: NUMBER  
 MAX\_LENGTH: NUMBER

## VEHICLES

VEHICLE\_ID: VARCHAR2(50)  
 VEHICLE\_CLASS: VARCHAR2(8)  
 ATTRIBUTE\_NO: NUMBER  
 VEHICLE\_DESC: VARCHAR2(50)

## COSTS\_DTL

DOC\_NO: NUMBER  
 LINE\_NO: NUMBER  
 SITE: VARCHAR2(3)  
 STATUS: NUMBER  
 VENDOR\_ID: VARCHAR2(6)  
 ALIAS\_ID: VARCHAR2(10)  
 BILL\_REF: VARCHAR2(30)  
 PROJ\_COST\_AMT: NUMBER  
 COST\_AMT: NUMBER  
 LINK\_NO: NUMBER  
 LINK\_TYPE: VARCHAR2(1)  
 DESCRIPTION: VARCHAR2(30)

## VEHICLE\_GROUPS

VEHICLE\_GROUP\_NO: NUMBER  
 VEHICLE\_ID: VARCHAR2(50)

SERVICES

SERVICE: VARCHAR2(4)  
SERVICE\_DESC: VARCHAR2(30)

STATES

CODE: NUMBER(3)  
STATE: VARCHAR2(25)

SUBSERVICES

SERVICE: VARCHAR2(4)  
SUBSERVICE: VARCHAR2(4)  
SUBSERVICE\_DESC: VARCHAR2(30)

CITY

CODE: NUMBER(3)  
CITY: VARCHAR2(25)

SERVICE\_PARAMETERS

SERVICE: VARCHAR2(4)  
SUB\_SERVICE: VARCHAR2(4)  
SERVICE\_LEVEL: NUMBER  
SUBSERVICE: VARCHAR2(4)  
DEL\_SERVICE\_TIME: NUMBER  
LATE\_PENALTY: NUMBER  
STOP\_DELAY: NUMBER  
DISP\_GROUP: NUMBER  
DISP\_COLOR: VARCHAR2(30)  
NOTIFY: VARCHAR2(1)  
WEAVE: VARCHAR2(1)  
LATE\_FACTOR: NUMBER  
ATTRIBUTE\_NO: NUMBER  
COPY\_READY\_TIME: VARCHAR2(1)  
PICKUP\_SERVICE\_TIME: NUMBER  
DEFAULT\_DAYS: NUMBER  
DEFAULT\_QUOTE\_DT: DATE  
WEEKEND\_DELIVERY: VARCHAR2(1)

NEW\_SITES

SITE: VARCHAR2(3)  
SITE\_DESC: VARCHAR2(30)

NEW\_SITES\_DTL

SITE: VARCHAR2(3)  
JOB\_DATE: DATE  
JOB\_INC\_NO: NUMBER

## ADDRESS\_ZONE

TABLE\_NAME: VARCHAR2(20)  
TABLE\_DESC: VARCHAR2(30)

## CONTRACT\_RATE

CONTRACT\_ID: VARCHAR2(20)  
CUSTOMER\_ID: VARCHAR2(10)  
FEE\_GROUP: VARCHAR2(20)  
RANGE\_TABLE: VARCHAR2(20)

## ADDRESS\_ZONE\_DTL

AIRPORT: VARCHAR2(10)  
CITY: VARCHAR2(30)  
TABLE\_NAME: VARCHAR2(20)  
STATE: VARCHAR2(20)  
ZIP: VARCHAR2(20)  
COUNTRY: VARCHAR2(20)  
ZONE: VARCHAR2(20)  
ABBR\_CITY: VARCHAR2(20)  
STREET\_TABLE: VARCHAR2(20)

## CONTRACT\_RATE\_DTL

TARGET\_FIELD: VARCHAR2(20)  
CONTRACT\_ID: VARCHAR2(20)  
CRITERIA: VARCHAR2(4)  
TARGET\_VALUE: VARCHAR2(30)

## ZONE\_RATE

TABLE\_NAME: VARCHAR2(20)  
TABLE\_DESC: VARCHAR2(30)  
REF\_ZONE\_TABLE: VARCHAR2(20)

## MULTI\_ORDER\_DISC

METHOD\_NAME: VARCHAR2(20)  
METHOD\_DESC: VARCHAR2(30)  
FEE\_ITEM\_TABLE: VARCHAR2(20)  
FLAT\_DISC\_AMT: NUMBER(8,2)  
DISC\_PERCENATGE: NUMBER(8,2)

## ZONE\_RATE\_DTL

FROM\_ZONE: VARCHAR2(20)  
TABLE\_NAME: VARCHAR2(20)  
TO\_ZONE: VARCHAR2(20)  
SUB\_SERVICE: VARCHAR2(4)  
FLAT\_AMT: NUMBER(8,2)  
TOS\_TABLE: VARCHAR2(20)

## MULTI\_ORDER\_DISC\_DTL

TARGET\_FIELD: VARCHAR2(20)  
METHOD\_NAME: VARCHAR2(20)  
TARGET\_FIELD\_VALUE: VARCHAR2(20)

**SPECIAL\_RATE**

TABLE\_NAME: VARCHAR2(20)  
 TABLE\_DESC: VARCHAR2(30)  
 TARGET\_FIELD: VARCHAR2(20)

**STREET\_ZONE**

TABLE\_NAME: VARCHAR2(20)  
 TABLE\_DESC: VARCHAR2(30)

**SPECIAL\_RATE\_DTL**

TARGET\_FIELD\_VALUE: VARCHAR2(30)  
 TABLE\_NAME: VARCHAR2(20)  
 FLAT\_AMT: NUMBER(8,2)  
 RATE\_PERCT: NUMBER(8,2)  
 APPLY\_TO: VARCHAR2(2)

**STREET\_ZONE\_DTL**

STREET\_NAME: VARCHAR2(30)  
 TABLE\_NAME: VARCHAR2(20)  
 FROM\_NO: NUMBER  
 TO\_NO: NUMBER  
 EVEN\_ODD: VARCHAR2(1)  
 ZONE: VARCHAR2(20)

**RATE\_METHOD**

RATE\_METHOD: VARCHAR2(20)  
 RATE\_METHOD\_DESC: VARCHAR2(30)  
 RATE\_PROCEDURE: VARCHAR2(20)

**FEE\_GROUP**

FEE\_GROUP\_ID: VARCHAR2(20)  
 FEE\_GROUP\_DESC: VARCHAR2(30)

**RATE\_METHOD\_DTL**

LINE\_NO: NUMBER  
 RATE\_METHOD: VARCHAR2(20)  
 REF\_CODE: VARCHAR2(20)  
 REF\_DESC: VARCHAR2(30)

**FEE\_GROUP\_DTL**

FEE\_ITEM: VARCHAR2(20)  
 FEE\_GROUP\_ID: VARCHAR2(20)  
 CATEGORY: VARCHAR2(1)  
 GL\_ACCOUNT: VARCHAR2(10)  
 ADD\_SUB\_TOTAL: VARCHAR2(1)

RATE\_SHEET

RATE\_SHEET\_ID: VARCHAR2(20)  
ALT\_RATE\_SHEET\_ID: VARCHAR2(20)  
DEFAULT\_RATE\_SHEET: VARCHAR2(1)

RANGE\_RATE

TABLE\_NAME: VARCHAR2(20)  
TABLE\_DESC: VARCHAR2(30)  
TARGET\_FIELD: VARCHAR2(20)  
MIN\_AMT: NUMBER(8,2)  
MAX\_AMT: NUMBER(8,2)

RATE\_SHEET\_CRITERIA

SERVICE: VARCHAR2(4)  
RATE\_SHEET\_ID: VARCHAR2(20)  
CRITERIA: VARCHAR2(1)

RANGE\_RATE\_DTL

FROM\_RANGE: NUMBER  
TABLE\_NAME: VARCHAR2(20)  
TO\_RANGE: NUMBER  
FLAT\_AMT: NUMBER(8,2)  
PER\_UNIT: NUMBER(8,2)  
ROUNDING\_FACTOR: NUMBER

RATE\_SHEET\_FEE\_GROUP

SERVICE: VARCHAR2(4)  
RATE\_SHEET\_ID: VARCHAR2(20)  
FEE\_GROUP\_ID: VARCHAR2(20)

TOS\_RATE\_DTL

TABLE\_NAME: VARCHAR2(20)  
TO\_TIME: DATE  
DAY\_OF\_WEEK: VARCHAR2(2)  
MULTI\_FACTOR: NUMBER(8,2)  
MIN\_AMT: NUMBER(8,2)  
MAX\_AMT: NUMBER(8,2)  
FLAT\_AMT: NUMBER(8,2)  
FROM\_TIME: DATE  
RANGE\_TABLE: VARCHAR2(20)  
APPLY\_TO: VARCHAR2(2)

TOS\_RATE

TABLE\_NAME: VARCHAR2(20)  
TABLE\_DESC: VARCHAR2(20)

## RATE\_PROCEDURE

RATE\_PROCEDURE: VARCHAR2(20)  
 RATE\_PROCEDURE\_DESC: VARCHAR2(30)

## RATE\_PROCEDURE\_DTL

RATE\_PROCEDURE: VARCHAR2(20)  
 LINE\_NO: VARCHAR2(2)  
 LINE\_DESC: VARCHAR2(30)  
 REF\_TABLE: VARCHAR2(20)

## ZIP\_MILES

FROM\_ZIP: VARCHAR2(20)  
 TO\_ZIP: VARCHAR2(20)  
 MILES: NUMBER

## AREA\_RATE

TABLE\_NAME: VARCHAR2(20)  
 TABLE\_DESC: VARCHAR2(30)  
 REF\_ZONE\_TABLE: VARCHAR2(20)

## AREA\_RATE\_DTL

ZONE: VARCHAR2(20)  
 TABLE\_NAME: VARCHAR2(20)  
 SUB\_SERVICE: VARCHAR2(4)  
 FLAT\_AMT: NUMBER(8,2)  
 TOS\_TABLE: VARCHAR2(20)

## ADJUSTMENT\_PERCENT\_DTL

TABLE\_NAME: VARCHAR2(20)  
 CUSTOMER\_TIER: VARCHAR2(4)  
 SERVICE: VARCHAR2(4)

PERCENTAGE: NUMBER(8,2)  
 MIN\_AMT: NUMBER(8,2)

## ADJUSTMENT\_PERCENT

TABLE\_NAME: VARCHAR2(20)  
 TABLE\_DESC: VARCHAR2(30)

## ZONE\_PATH

ZONE\_PATH: VARCHAR2(20)  
 ZONING\_SEQ: NUMBER  
 AIRPORT: VARCHAR2(1)  
 CITY: VARCHAR2(1)  
 STATE: VARCHAR2(1)  
 ZIP: VARCHAR2(1)  
 COUNTRY: VARCHAR2(1)

## FEE\_ITEM

FEE\_ITEM: VARCHAR2(20)  
 RATE\_METHOD: VARCHAR2(20)  
 MANDATORY: VARCHAR2(1)



## RATE\_LOG\_DTL

JOB\_NO: NUMBER  
 LINE\_NO: NUMBER  
 ERR\_TEXT: VARCHAR2(300)

## TRANSFER\_VALUES

KEY\_COLUMN: VARCHAR2(30)  
 COL1: VARCHAR2(30)  
 COL2: VARCHAR2(30)  
 COL3: VARCHAR2(30)  
 COL4: VARCHAR2(30)  
 COL5: VARCHAR2(30)  
 COL6: VARCHAR2(30)

## RATE\_OVERRIDES

CUSTOMER\_ID: VARCHAR2(10)  
 TOS\_RATE\_TABLE: VARCHAR2(20)  
 MILE\_RATE\_TABLE: VARCHAR2(20)  
 RANGE\_RATE\_TABLE: VARCHAR2(20)

## SYSTEM\_DEFAULTS

KEY\_ID: VARCHAR2(20)  
 KEY\_DESC: VARCHAR2(60)  
 KEY\_VALUE: VARCHAR2(30)  
 USER\_GROUP: VARCHAR2(8)  
 SEQ\_NO: NUMBER

## HOLIDAY\_DTL

OBJECT\_ID: VARCHAR2(30)  
 HOLIDAY\_DATE: DATE  
 OBJECT\_NAME: VARCHAR2(30)  
 HOLIDAY\_DESC: VARCHAR2(30)

## DRIVER\_COMM\_ELIGIBLE\_FEES

FEE\_ITEM: VARCHAR2(20)  
 ALLOC\_METHOD: VARCHAR2(1)  
 COMM\_TYPE: VARCHAR2(1)  
 GL\_ACCOUNT: VARCHAR2(20)

## HOLIDAYS

HOLIDAY: VARCHAR2(30)  
 ACTUAL\_DATE: DATE  
 CELEBRATED\_DATE: DATE

## ADJUSTMENT\_FEES\_DTL

FEE\_ITEM: VARCHAR2(20)  
 TABLE\_NAME: VARCHAR2(20)

## ADJUSTMENT\_FEES

TABLE\_NAME: VARCHAR2(20)  
 TABLE\_DESC: VARCHAR2(30)

## ACCT\_NUMBERS

GL_ACCT: VARCHAR2(30)
GL_ACCT_DESC: VARCHAR2(50)

## ACCT\_TRANS\_HDR

TRANS_NO: NUMBER
TRANS_TYPE: VARCHAR2(12)
TRANS_DATE: DATE
TRANS_ID: VARCHAR2(20)
TRANS_AMOUNT: NUMBER
TRANS_BATCH_NO: NUMBER
LINK_NO: NUMBER
NO_OF_PRINTS: NUMBER

## ACCT\_SETUP

ACCT_PACKAGE: VARCHAR2(30)
TRANSFER_DIR: VARCHAR2(100)
CUST_ID_LENGTH: NUMBER
VEND_ID_LENGTH: NUMBER
LAST_EXPORT_AR: DATE
LAST_EXPORT_AP: DATE
AR_INV_TYPE: VARCHAR2(12)
AP_INV_TYPE: VARCHAR2(12)
AR_CM_TYPE: VARCHAR2(12)
AR_DM_TYPE: VARCHAR2(12)
CUST_FILE: VARCHAR2(30)
VEND_FILE: VARCHAR2(30)
AR_HDR_FILE: VARCHAR2(30)
AR_DET_FILE: VARCHAR2(30)
AP_HDR_FILE: VARCHAR2(30)
AP_DET_FILE: VARCHAR2(30)

## ACCT\_BATCH

BATCH_NO: NUMBER
GL_TYPE: VARCHAR2(2)
BATCH_FILES_DONE: VARCHAR2(1)
CREATE_DATE: DATE

## CUST\_TERMS

CUST_TERMS: VARCHAR2(15)
SEQ_NO: NUMBER

## ACCT\_TRANS\_DTL

TRANS_NO: NUMBER
TRANS_TYPE: VARCHAR2(12)
TRANS_GL_ACCT: VARCHAR2(30)
TRANS_DATE: DATE
TRANS_DB_CR: NUMBER
TRANS_DESC: VARCHAR2(30)

## AUDIT\_RECORD\_SETUP

TABLE_NAME: VARCHAR2(30)
INSERT_TAB_NAME: VARCHAR2(30)
OBJECT_NAME: VARCHAR2(30)
USE_SITE: VARCHAR2(3)
STATUS: VARCHAR2(10)
USER_ACCESS: VARCHAR2(7)

## AUDIT\_COLUMN

JOB_NO: NUMBER
STOP_NO: NUMBER
FIELD_NAME: VARCHAR2(30)
PREV_DATA: VARCHAR2(80)
THIS_DATA: VARCHAR2(80)
CHANGE_BY: VARCHAR2(30)
CHANGE_DT: DATE

## AUDIT\_RECORD\_SETUP\_DTL

TABLE_NAME: VARCHAR2(30)
USER_ACCESS: VARCHAR2(7)
USER_ID: VARCHAR2(10)

## AUDIT\_COLUMN\_SETUP

TABLE_NAME: VARCHAR2(30)
FIELD_NAME: VARCHAR2(30)
STATUS: VARCHAR2(10)
EVENT_DESC: VARCHAR2(30)

## AUDIT\_COLUMN\_SETUP\_DTL

USER_ACCESS: VARCHAR2(7)
USER_ID: VARCHAR2(10)

## RECORD\_AUDIT

TABLE_NAME: VARCHAR2(30)
OBJECT_ID: VARCHAR2(30)
CREATE_BY: VARCHAR2(30)
CREATE_DT: DATE
CHANGE_BY: VARCHAR2(30)
CHANGE_DT: DATE

## AUDIT\_RECORD

TABLE_NAME: VARCHAR2(30)
OBJECT_ID: VARCHAR2(30)
OBJECT_SITE: VARCHAR2(3)
CREATE_BY: VARCHAR2(30)
CREATE_DT: DATE
CHANGE_BY: VARCHAR2(30)
CHANGE_DT: DATE

## DAYLIGHT\_SAVINGS

TIME_ZONE: VARCHAR2(10)
START_YEAR: NUMBER
START_MONTH: NUMBER
START_DAY: NUMBER
START_HOUR: NUMBER
END_MONTH: NUMBER
END_DAY: NUMBER
END_HOUR: NUMBER

## AUDIT\_COLUMN\_CONTROL

USER_ACCESS: VARCHAR2(7)
--------------------------

### USER\_GROUPS

USER\_GROUP: VARCHAR2(8)  
GROUP\_DESC: VARCHAR2(30)

### NEW\_USERS

USER\_ID: VARCHAR2(10)  
SITE: VARCHAR2(3)  
FIRST\_NAME: VARCHAR2(20)  
LAST\_NAME: VARCHAR2(20)  
MID\_INITIAL: VARCHAR2(1)  
DEPT: VARCHAR2(3)  
USER\_PHONE: VARCHAR2(15)  
USER\_GROUP: VARCHAR2(8)  
TIME\_ZONE: VARCHAR2(12)

### COMMON\_PHONES

CUSTOMER\_ID: VARCHAR2(10)  
COMMON\_PHONE: VARCHAR2(20)

### CITY\_STATES

CITY: VARCHAR2(30)  
STATE: VARCHAR2(20)  
ZIP: VARCHAR2(20)  
COUNTRY: VARCHAR2(20)  
DEFAULT\_SITE: VARCHAR2(4)  
TIME\_ZONE: VARCHAR2(10)

### AIRPORTS

AIRPORT: VARCHAR2(10)  
AIRPORT\_NAME: VARCHAR2(30)  
CITY: VARCHAR2(30)  
STATE: VARCHAR2(20)  
ZIP: VARCHAR2(20)  
COUNTRY: VARCHAR2(20)  
INTERNATIONAL: VARCHAR2(1)  
DEFAULT\_CARRIER: VARCHAR2(10)  
DEFAULT\_SITE: VARCHAR2(4)

### COMPANY

COMPANY\_NAME: VARCHAR2(30)  
ADDRESS1: VARCHAR2(30)  
ADDRESS2: VARCHAR2(30)  
CITY: VARCHAR2(20)  
STATE: VARCHAR2(2)  
ZIP: VARCHAR2(20)  
COUNTRY: VARCHAR2(30)  
COUNTY: VARCHAR2(30)  
POST\_ID: VARCHAR2(20)  
DEFAULT\_SITE: VARCHAR2(3)  
DEFAULT\_USER\_GROUP: VARCHAR2(8)

### WEEKEND\_DTL

OBJECT\_ID: VARCHAR2(30)  
WEEKEND\_DAY: NUMBER  
OBJECT\_NAME: VARCHAR2(30)  
WEEKEND\_DESC: VARCHAR2(30)

### EVENT\_LIST

EVENT\_NO: NUMBER  
EVENT\_NAME: VARCHAR2(30)

## VENDORS

VENDOR_ID: VARCHAR2(10)
BUS_NAME: VARCHAR2(30)
PHONE: VARCHAR2(20)
FAX_PHONE: VARCHAR2(20)
ADDRESS1: VARCHAR2(30)
ADDRESS2: VARCHAR2(30)
CITY: VARCHAR2(20)
STATE: VARCHAR2(2)
ZIP: VARCHAR2(10)
COUNTRY: VARCHAR2(20)
TERMS_ID: VARCHAR2(10)
HOLD_PAYMENT: VARCHAR2(1)
PRINT_1099: VARCHAR2(1)
FED_TAX_ID: VARCHAR2(11)
CREATE_DATE: DATE
EDIT_DATE: DATE

## LOADED\_DAILIES

TEMPLATE_JOB_NO: NUMBER
LOADED_PU_READY_DT: DATE
LOADED_JOB_NO: NUMBER

## PROCESSES

PROC_NAME: VARCHAR2(8)
PROC_TYPE: VARCHAR2(8)
EMAIL_NAME: VARCHAR2(10)
DEAD_TIME: NUMBER
NUM_TRIES: NUMBER

## ALL\_FAIL\_JOBS

FAIL_SEQNO: NUMBER
DOC_NO: VARCHAR2(30)
ERROR_NO: NUMBER
SEVERITY_LEVEL: NUMBER
SOURCE: VARCHAR2(20)
CATEGORY: VARCHAR2(20)
TEXT_MSG: VARCHAR2(200)
TIME_STAMP: DATE
SITE: VARCHAR2(3)

## PROCESS\_EVENT

PROC_NAME: VARCHAR2(8)
EVENT_NO: NUMBER
EVENT_NAME: VARCHAR2(30)
SITE: VARCHAR2(3)

## PROCESS\_SITE

PROC_NAME: VARCHAR2(8)
SITE: VARCHAR2(3)
HOST_NAME: VARCHAR2(10)
PROC_NO: NUMBER
STATUS: NUMBER
TIME_STAMP_DT: DATE
PROC_PATH: VARCHAR2(80)

## PROCESS\_HISTORY

PROC_NAME: VARCHAR2(8)
TIME_STAMP_DT: DATE
NUM_DEATHS: NUMBER
SITE: VARCHAR2(3)

## PRINTERS

PRINTER\_NAME: VARCHAR2(30)  
SITE: VARCHAR2(3)

## PRINT\_FORMAT

PRINT\_KEY: VARCHAR2(20)  
PRINT\_DESC: VARCHAR2(30)  
PRODUCT\_NAME: VARCHAR2(30)  
PRINT\_STATUS: VARCHAR2(4)  
STATUS\_MESSAGE: VARCHAR2(60)  
FILE\_LOCATION: VARCHAR2(300)  
DELETE\_AFTER: NUMBER

## PRINT\_SETUP

PRINT\_KEY: VARCHAR2(20)  
SITE: VARCHAR2(3)  
GROUP\_DESC: VARCHAR2(30)

## PRINT\_SETUP\_DTL

PRINT\_KEY: VARCHAR2(30)  
SITE: VARCHAR2(3)  
PRINT\_GROUP: VARCHAR2(20)  
DESCRIPTION: VARCHAR2(30)

## PRINT\_QUEUE

PRINT\_FILE: VARCHAR2(300)  
OUTPUT\_DEVICE: VARCHAR2(30)  
DEVICE\_NAME: VARCHAR2(60)  
FAX\_NUMBER: VARCHAR2(20)  
FAX\_ATTENTION: VARCHAR2(30)  
FAX\_SUBJECT: VARCHAR2(60)  
NOTE1: VARCHAR2(30)  
NOTE2: VARCHAR2(30)  
NOTE3: VARCHAR2(30)  
NOTE4: VARCHAR2(30)  
NOTE5: VARCHAR2(30)  
NOTE6: VARCHAR2(30)  
NOTE7: VARCHAR2(30)  
NOTE8: VARCHAR2(30)  
USER\_ID: VARCHAR2(10)  
CREATE\_TIME: DATE  
REPORT\_CREATED: DATE  
QUE\_RECEIVED: DATE  
QUE\_PROCESSED: DATE

## PRINT\_GROUP

PRINT\_GROUP: VARCHAR2(20)  
SITE: VARCHAR2(3)  
OUTPUT\_DEVICE: VARCHAR2(30)  
DEVICE\_NAME: VARCHAR2(60)

## GPS

GPS_NO: NUMBER
COMMS_NO: NUMBER
DRIVER_NO: NUMBER
SITE: VARCHAR2(3)
VEHICLE_ID: VARCHAR2(50)
GPS_DT: DATE
INSERT_DT: DATE
LATITUDE: NUMBER(14)
LONGITUDE: NUMBER(16)
ALTITUDE: NUMBER
SPEED: NUMBER
HEADING: NUMBER
GPS_STATUS: NUMBER
MSG_STATUS: NUMBER
BLOCK_NO: NUMBER
STREET: VARCHAR2(30)
X_STREET: VARCHAR2(30)
CITY: VARCHAR2(20)
STATE: VARCHAR2(2)
ZIP: VARCHAR2(10)

## COMMS\_STATUSES

COMMS_NO: NUMBER
DISTANCE: NUMBER
MAX_SPEED: NUMBER
DRIVING_TIME: NUMBER
TOTAL_MESSAGES: NUMBER
SATS_VISIBLE: NUMBER
SATS_TRACKED: NUMBER
STATUS_1: NUMBER
STATUS_2: NUMBER
STATUS_3: NUMBER
STATUS_4: NUMBER
STATUS_5: NUMBER
STATUS_6: NUMBER
STATUS_7: NUMBER
STATUS_8: NUMBER
STATUS_9: NUMBER
STATUS_10: NUMBER
STATUS_11: NUMBER
STATUS_12: NUMBER
STATUS_13: NUMBER
STATUS_14: VARCHAR2(30)
STATUS_15: VARCHAR2(30)
INSERT_DT: DATE

## PLANNER\_DEFAULTS

SITE: VARCHAR2(3)
SERVICE: VARCHAR2(4)
STATUS: NUMBER
DISP_STATION: NUMBER
COLOR: VARCHAR2(15)

## GATEWAY\_LIST

GWNAME: VARCHAR2(15)
----------------------

## PROCESS\_STATUS

PROC\_NAME: VARCHAR2(20)  
 PROC\_TYPE: VARCHAR2(8)  
 SITE: VARCHAR2(3)  
 PROC\_PATH: VARCHAR2(100)  
 HOST\_NAME: VARCHAR2(20)  
 EMAIL\_NAME: VARCHAR2(50)  
 RESTART\_DELAY: NUMBER  
 NUM\_RETRIES: NUMBER  
 RETRY\_WINDOW: NUMBER  
 PID: NUMBER  
 POLLING\_ON: VARCHAR2(1)  
 MSG\_NO: NUMBER  
 CURRENT\_STATE: VARCHAR2(10)  
 REQ\_STATE: VARCHAR2(10)  
 LAST\_ENTRY\_DT: DATE

## PACKAGE\_TRACK

JOB\_NO: NUMBER  
 STOP\_NO: NUMBER  
 STOP\_TYPE: VARCHAR2(1)  
 PIECES\_ID: VARCHAR2(30)  
 UNITS: NUMBER  
 WEIGHT: NUMBER  
 DESCRIPTION: VARCHAR2(60)  
 TIME\_STAMP\_DT: DATE

## NAVIGATE\_TEMPLATE

TEMPLATE\_NO: NUMBER  
 FORM\_NAME: VARCHAR2(40)  
 CUR\_FIELD: VARCHAR2(35)  
 NEXT\_FIELD: VARCHAR2(35)  
 PREV\_FIELD: VARCHAR2(35)  
 FIELD\_ORDER: NUMBER  
 BLOCK\_NAME: VARCHAR2(40)  
 NEXT\_BLOCK: VARCHAR2(40)  
 PREV\_BLOCK: VARCHAR2(40)  
 USER\_ID: VARCHAR2(10)

## POST\_BOX

MSG\_NO: NUMBER  
 REPLY\_NO: NUMBER  
 OBJECT\_EVENT: VARCHAR2(10)  
 OBJECT\_TYPE: VARCHAR2(12)  
 OBJECT\_ID: VARCHAR2(20)  
 SUPER\_OBJECT\_TYPE: VARCHAR2(15)  
 SUPER\_OBJECT\_ID: VARCHAR2(20)  
 ORIGIN: VARCHAR2(30)  
 OBJECT\_STATUS: NUMBER  
 TIME\_STAMP\_DT: DATE  
 SITE: VARCHAR2(3)

## SUP\_TASK

TASK\_NO: NUMBER  
 TASK\_STATUS: VARCHAR2(1)  
 CURRENT\_STATUS: VARCHAR2(12)  
 SUMMARY: VARCHAR2(160)  
 PROGRAM\_NAME: VARCHAR2(20)  
 SCREEN\_NAME: VARCHAR2(20)  
 CREATED\_BY: VARCHAR2(10)  
 CREATED\_DATE: DATE  
 ASSIGNED\_TO: VARCHAR2(10)  
 COMPLETED\_DATE: DATE  
 TOTAL\_HOURS: NUMBER

## SUP\_TASK\_DTL

TASK\_NO: NUMBER  
 LINE\_NO: NUMBER  
 TASK\_DESC: VARCHAR2(320)  
 TASK\_DT: DATE  
 TASK\_WHO: VARCHAR2(8)